



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/671,508	09/29/2003	Christophe Boule	1016800-000539.001	1349
21839 7590 10/11/2007 BUCHANAN, INGERSOLL & ROONEY PC POST OFFICE BOX 1404 ALEXANDRIA, VA 22313-1404			EXAMINER STOCKTON, LAURA LYNNE	
			ART UNIT 1626	PAPER NUMBER
			NOTIFICATION DATE 10/11/2007	DELIVERY MODE ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

ADIPFDD@bipc.com
debra.hawkins@bipc.com

Response to Rule 312 Communication	Application No.	Applicant(s)	
	10/671,508	BOULLE ET AL.	
	Examiner	Art Unit	
	Laura L. Stockton, Ph.D.	1626	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --


1. ☒ The amendment filed on 26 September 2007 under 37 CFR 1.312 has been considered, and has been:


- a) ☐ entered.
- b) ☐ entered as directed to matters of form not affecting the scope of the invention.
- c) ☐ disapproved because the amendment was filed after the payment of the issue fee.

Any amendment filed after the date the issue fee is paid must be accompanied by a petition under 37 CFR 1.313(c)(1) and the required fee to withdraw the application from issue.

- d) ☒ disapproved. See explanation below.
- e) ☐ entered in part. See explanation below.

The Amendment is disapproved because the proposed amendment does not reflect the changes made to the claims, including cancellation of claims, per the Examiner's amendment of June 27, 2007. See, for example, claim 4 and the cancellation of claim 11.


JOSEPH K. MCKANE
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 1600


Laura L. Stockton, Ph.D.
Primary Examiner
Art Unit: 1626